

DEPURAL® TOP

MOBILE FILTER HOUSINGS

DEPURAL® TOP is a range of mobile filter housings especially designed for counter-top use, complete installation kit and diverter valve for easy connection to the tap. The diverter valve make it possible to divert the tap water to the filter or to standard service unfiltered, preserving the filter cartridge and prolonging its life-time.

DEPURAL® TOP housings are available in 3 main versions:

- **DEPURAL® TOP single housings**, with clear (TS) white (BW) or chromed (CH) bowls.
- **DEPURAL® TOP DUO double housings**, with clear (TS) white (BW) or chromed (CH) bowls.
- **DEPURAL® TOP TRIO triple housings**, with clear (TS) white (BW) or chromed (CH) bowls.

DEPURAL® TOP fit to 10" cartridges with both standard SX flat seals (DOE) and BX quick-fit double o-ring end-cap, all available from the wide range of Atlas Filtri cartridges SX and BX type.

DEPURAL® TOP housings are manufactured with the finest and most advanced materials under constant focus on innovative processing technologies and ceaseless modernization to ensure the absolute quality of our products.



SX cartridges with standard flat seals.



BX cartridges with 45 mm double o-ring collar. Quick-fit connection for a perfect tightening.



CERTIFICATIONS



The products are tested and certified under the most stringent procedures worldwide, **in compliance with GOST (Russia)**.

ACCESSORIES INCLUDED



kit Depural® TOP DVB



kit Depural® TOP ECO



spanner for Depural® TOP

SYMBOLS LEGEND



For domestic use



DEPURAL® TOP

WORKING CONDITIONS

Max working pressure _____ 3 bar (43 psi)
 Max working temperature _____ 45°C (113°F)
 Min working temperature _____ 4°C (39,2°F)

SPECIFICATIONS

Non-toxic materials, suitable for drinking water.
 Head: polypropylene.
 White bowl: SAN.
 O-rings: EPDM.



DEPURAL® TOP ECO BW

WHITE HOUSING


CODE: RA2511615
 SUITABLE CARTRIDGES: 10"



DEPURAL® TOP DVB BW

WHITE HOUSING

CODE: RA2510615
 SUITABLE CARTRIDGE: 10"



DEPURAL® TOP DUO ECO BW


WHITE HOUSING

CODE: RA2521615
 SUITABLE CARTRIDGES: 10"

DEPURAL® TOP DUO DVB BW

WHITE HOUSING

CODE: RA2520618
 SUITABLE CARTRIDGES: 10"



DEPURAL® TOP TRIO ECO BW


WHITE HOUSING

CODE: RA2531615
 SUITABLE CARTRIDGES: 10"

DEPURAL® TOP TRIO DVB BW

WHITE HOUSING

CODE: RA2530615
 SUITABLE CARTRIDGES: 10"



WORKING CONDITIONS

Max working pressure _____ 3 bar (43 psi)
 Max working temperature _____ 45°C (113°F)
 Min working temperature _____ 4°C (39,2°F)

SPECIFICATIONS

Non-toxic materials, suitable for drinking water.
 Head: polypropylene.
 Transparent bowl: SAN.
 O-rings: EPDM.



DEPURAL® TOP ECO TS

CLEAR HOUSING

CODE: RA2511616
 SUITABLE CARTRIDGES: 10"



DEPURAL® TOP DUO ECO TS

CLEAR HOUSING

CODE: RA2521616
 SUITABLE CARTRIDGES: 10"



DEPURAL® TOP TRIO ECO TS


CLEAR HOUSING

CODE: RA2531616
 SUITABLE CARTRIDGES: 10"

DEPURAL® TOP DVB TS

CLEAR HOUSING


CODE: RA2510616
 SUITABLE CARTRIDGES: 10"



DEPURAL® TOP DUO DVB TS

CLEAR HOUSING


CODE: RA2520616
 SUITABLE CARTRIDGES: 10"



DEPURAL® TOP TRIO DVB TS

CLEAR HOUSING

CODE: RA2530616
 SUITABLE CARTRIDGES: 10"



WORKING CONDITIONS

Max working pressure _____ 3 bar (43 psi)
 Max working temperature _____ 45°C (113°F)
 Min working temperature _____ 4°C (39,2°F)

SPECIFICATIONS

Non-toxic materials, suitable for drinking water.
 Head: polypropylene.
 Chrome plated bowl: ABS.
 O-rings: EPDM.



DEPURAL® TOP ECO CH

CHROME HOUSING


CODE: RA2511617
 SUITABLE CARTRIDGES: 10"



DEPURAL® TOP DVB CH

CHROME HOUSING

CODE: RA2510617
 SUITABLE CARTRIDGES: 10"



DEPURAL® TOP DUO ECO CH


CHROME HOUSING

CODE: RA2521617
 SUITABLE CARTRIDGES: 10"

DEPURAL® TOP DUO DVB CH

CHROME HOUSING

CODE: RA2520619
 SUITABLE CARTRIDGES: 10"



DEPURAL® TOP TRIO ECO CH

CHROME HOUSING

CODE: RA2531617
 SUITABLE CARTRIDGES: 10"

DEPURAL® TOP TRIO DVB CH

CHROME HOUSING

CODE: RA2530617
 SUITABLE CARTRIDGES: 10"

